## **AMENDMENTS**

## **Listing of Claims**

The following listing of claims replaces all previous listings or versions thereof:

- 1. (Presently amended) AAn isolated DNA segment encoding a MURF-1, MURF-2 or MURF-3-polypeptide either having:
  - (i) the amino acid sequence as set forth in SEQ ID NO:4; or
  - (ii) a variant of the amino acid sequence set forth in in SEQ ID NO:4 capable of binding a microtubule wherein the variant is encoded by a nucleic acid sequence that hybridizes to SEQ ID NO:3, from position 80 through position 1710, inclusive, under conditions of 10 mM Tris-HCl (pH 8.3), 50 mM KCl, and 1.5 μm MgCl<sub>2</sub> at a temperature of 72°C.
- 2. (Canceled)
- 3. (Presently amended) The DNA segment of claim 2, wherein the MURF-1 polypeptide has the sequence of SEQ ID NO:2, the MURF-2 polypeptide has the sequence of SEQ ID NO:4, and the MURF-3 polypeptide has the sequence of SEQ ID NO:6.
- 4. (Presently amended) The DNA segment of claim 3, wherein the MURF-1 DNA segment has the sequence of SEQ ID NO:1, the MURF-2 DNA segment has the sequence of SEQ ID NO:5.
- 5. (Original) The DNA segment of claim 1, wherein the DNA segment is positioned under the control of a promoter.
- 6. (Presently amended) The DNA segment of claim 5, wherein the promoter is not a native MURF-1, MURF-2 or MURF-3 coding regionpromoter.

- 7. (Canceled)
- 8. (Original) The DNA segment of claim 5, further comprising a polyadenylation signal.
- 9. (Original) The DNA segment of claim 5, further comprising an origin of replication.
- 10. (Presently amended) The DNA segment of claim 9, wherein the vector is DNA segment is comprised within a viral vector.
- 11. (Presently amended) The DNA segment of claim 10, wherein the vector is DNA segment is comprised within a non-viral vector.
- 12. (Presently amended) A host cell comprising a DNA segment that encodes a MURF-1, MURF-2 or MURF-3 polypeptide of claim 1, wherein said DNA segment comprises a promoter heterologous to the MURF-1, murine MURF-2 or MURF-3 coding region set forth in SEQ ID NO:3.
- 13. (Original) The host cell of claim 12, further defined as a prokaryotic host cell.
- 14. (Original) The host cell of claim 12, further defined as a eukaryotic host cell.
- 15. (Canceled)
- 16. (Original) The host cell of claim 14, wherein the host cell is a secretory cell.
- 17. (Presently amended) The host cell of claim 15, wherein the MURF-1 polypeptide has the sequence of SEQ ID NO:2, the MURF-2 polypeptide has the sequence of SEQ ID NO:4, and the MURF-3 polypeptide has the sequence of SEQ ID NO:6.

18. (Presently amended) A method of using a host cellproducing a MURF-2 polypeptide comprising (i) transforming a host cell with an expression cassette comprising a polynucleotide encoding a MURF-1, MURF 2 or MURF-3 polypeptide the DNA segment of claim 1 and a promoter active in said host cell, said promoter and capable of directing the expression of said polypeptide, said method comprising and (ii) culturing the host cell under conditions suitable for the expression of the MURF-1, MURF-2 or MURF-3 polypeptide.

19-115. (Canceled)